



ALU-CEILING INSTALLATION OPTIONS





POWER LINE SLIM 30mm

PLS30; 30 x 65mm




EL-PLS  
AB-PLS




EL-PLS  
AB-PLS  
EC-PLS





EL-PLS  
AB-PLS  
EC-PLS




EL-PLS  
AB-PLS  
EC-PLS

EC-RPLS  
Aluminum end cap

DESCRIPTION


Is available in either suspension or surface ceiling mount options, and comes with a separate bottom chamber to house drivers and cables. Suitable for use with high power LED options, this elegant looking high silver anodised profile has been specifically tailored for hotel, restaurant, and retail applications.



EL-RPLS  
AB-PLS





EL-RPLS  
AB-PLS  
EC-RPLS



EC-RPLS  
Aluminum end caps

RECESSED POWER LINE SLIM 30mm

RPLS30; 30 x 65mm







EL-RPLS  
AB-PLS



EL-RPLS  
AB-PLS  
EC-RPLS

EC-RPLS  
Aluminium end cap



DESCRIPTION

A very stylish recessed LED profile, specifically designed for built in gypsum ceiling applications, that features both a deep and robust aluminium housing, in order to facilitate high output LED (30W/M) with total LED's dot free appearance, ensuring a solid evenness of light. Slim 30 profiles are ideal as an alternative to fluorescent ceiling solutions for all hotels, retail and office installations where low maintenance and energy savings are principal considerations.




RPLS30 INSTALLATION OPTIONS

WITH FIRE RESTRICTIONS



WITH NO FIRE RESTRICTIONS



WITH NO FIRE RESTRICTIONS

